

# Data sheet

## **PROTECT Easy 1 K**

Single-component polymer-based concrete adhesive







**Show product** 



Seite 1 von 3

EORI-Nr.: DE 4774124



article number:	040030
article group:	308 - Betonkleber (1K + 2K)
GTIN:	4251689515071
customs tariff number:	39073000
packing unit:	sac
sales quantity unit:	1 Beut
material:	polymer
colour:	grey
density:	ca. 1,4 g/m³
processing time:	20 minutes at around 23°C
viscosity:	pasty
Approvals/Certificates:	pressure water tightness (MFPA Leipzig)
	fire resistance (MFPA Leipzig)
scope of delivery:	800 g foil bag
substrate properties:	dry, non-lip, dust-free
	free from separating substances as grease, oil, etc.
durability:	best before 9 months after production
thermal scope of	approx. +5° C to +40° C
application:	
waterpressuretightness:	8 bar
firebehavior:	EI 240
storage:	Store in undamaged and unopened original packaging in a
	dry place out of direct sunlight.
	Frost susceptible.
disposal:	Disposal in accordance with official regulations. Cured
	material residues: in the domestic and commercial waste.
	Material residues that have not hardenend: Dispose of as
	paint waste



#### **Basis**

All dimensions and information in this data sheet reflect the results of the laboratory tests that have been carried out. Deviations from the values determined by us under laboratory conditions are possible due to environmental and operating conditions beyond our control. The data in this data sheet only applies for the product delivered by us. The product data corresponds only to the specifications in Germany. Possible country-specific deviations are not taken into account here.

#### Indication of law

The technical information reflects our current knowledge of PROTECT Easy 1 K. It is intended only as information for users. As we do not know the envisaged applications and processing conditions, it is the responsibility of the user to carefully check that the product is suitable for the intended purposes. Due to the different components at the installation site and the working conditions in place there, MASTERTEC cannot provide any guarantee whatsoever for the result of the work. Claims arising from any legal relationship can only be recognised in the event of wilful intent or gross negligence, irrespective of the statements made here or advice provided verbally. In this case the user must prove that he has provided MASTERTEC in writing with all the information required to correctly assess the installation situation in good time. Subject to necessary product specifications or further developments. By providing this information MASTERTEC does not intend to infringe third party rights. The latest data sheet in each case applies. Our corresponding terms and conditions of sale and delivery apply.

### The previous data sheets are no longer valid

Print date 20.05.2024, last modified 13.03.2024